## Cross-section measurements of the $^{29}{\rm Si}(p,2\alpha)^{22}{\rm Na}$ reaction by residual activity

Marcelo T. Yamashita<sup>1</sup>, Francis Bringas<sup>1</sup>, Iuda D. Goldman<sup>1</sup>, Paulo R. Pascholati<sup>1</sup>, Valdir Sciani<sup>2</sup>

A stacked-foil method was used to obtain the excitation function of the  $^{29}\mathrm{Si}(p,2\alpha)^{22}\mathrm{Na}$  (Q=-14273.7(5) keV) reaction for energies near the threshold. Measurements by residual activity were performed in eight silicon foils irradiated with a 24 MeV proton beam. A careful study about the existence of some impurities of  $^{23}\mathrm{Na}$  in the silicon sample (which could affect the results due to the fact that the magnitude of the  $^{23}\mathrm{Na}$  neutron capture cross section is much larger than the  $^{29}\mathrm{Si}(p,2\alpha)^{22}\mathrm{Na}$  cross section) was made using ( $n_{thermal},\gamma$ ) reaction with a thermal neutron beam with a flux of  $10^{13}$  neutron/ $cm^2$ s. The ratio of the number of  $^{23}\mathrm{Na}$  and silicon atoms in a silicon sample was calculated as being  $0.570(61) \cdot 10^{-12}$ .

The study of reactions induced by protons with energies near the threshold and that presents a very small value for the cross-section, order of  $\mu b$ , is very scarce in the literature. These data can give a better understanding about the formation of the compound nucleus and the existence of structures, clusters, inside the nuclei. In particular,  $(p, 2\alpha)$  reactions are usually studied in energies far from the threshold. This situation can be understand taking into account the magnitude of the cross-sections and the experimental difficulties where the presence of few impurities can produce ambiguous data. The nuclide  $^{22}$ Na (half-life of 2.602 years) originated from the  $(p, 2\alpha)$  reaction. The  $^{22}$ Na decays by electron capture to  $^{22}$ Ne and it is identified by the characteristic gamma line of 1274 keV.

The energy of the proton beam was monitored by putting a cooper foil in front of the silicon samples. The energy was obtained from the ratio of the  $^{62}$ Zn and  $^{65}$ Zn activities coming, respectively, from the  $^{63}$ Cu(p,2n) and  $^{65}$ Cu(p,2n) reactions. The peaks were fitted using a covariant least-squares method. The results for the proton beam energy and the calculated cross sections are presented in Table 1 for the various silicon foils.

foil	proton energy	cross section
	(MeV)	$(\mu b)$
1	23.69(14)	66(3)
2	22.87(14)	15.4(9
3	22.02(15)	1.0(4)
4	21.20(15)	25.4(9)
5	21.15(15)	9.0(8)
6	19.32(16)	2.1(5)
7	18.96(16)	4.1(4)
8	16.50(18)	0.92(28)

Table 1: Results for the cross section of the  $^{29}\text{Si}(p,2\alpha)^{22}\text{Na}$  reaction. The first column is the number of the silicon foil and the second is the energy of the incident proton beam.

Email: myamashita@if.usp.br

<sup>&</sup>lt;sup>1</sup> Laboratório do Acelerador Linear, Instituto de Física, Universidade de São Paulo

<sup>&</sup>lt;sup>2</sup> Instituto de Pesquisas Energéticas e Nucleares, IPEN/CNEN-SP